

Page : 1

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier : PATE DE LUXE SAPHIR Trade name **Product code** : 0002 - 0006 - 0008 - 0009 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Shoe and leather care product. 1.3. Details of the supplier of the safety data sheet **Company identification** : AVEL Lombre MAGNAC LAVALETTE 16320 FRANCE Tel. +33 5 45 64 74 74 - Fax. +33 5 45 64 77 36 avel@avel.com 1.4. Emergency telephone number : +33 5 45 64 74 74 (Office hours: Monday-Friday 8AM-3PM GMT+1) Phone nr 2. Hazards identification 2.1. Classification of the substance or mixture Classification EC 67/548 or EC 1999/45 Classification : R10 R66 R67 Xi; R36/38 Xi; R43 R52-53 Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP) Health hazards : Skin irritation - Category 2 - Warning (Skin Irrit. 2) H315 Eye irritation - Category 2 - Warning (Eye Irrit. 2) H319 Skin sensitisation - Category 1 - Warning (Skin Sens. 1) H317 Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -Warning (STOT SE 3) H336 **Physical hazards** : Flammable solids - Category 2 - Warning (Flam. Sol. 2) H228 **Environmental hazards** : Hazardous to the aquatic environment - Chronic hazard - Category 3 (Aquatic Chronic 3) H412 Supplemental hazard information : EUH066: Repeated exposure may cause skin dryness or cracking. 2.2. Label elements Labelling Regulation EC 1272/2008 (CLP)



Page: 2

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

Hazards identification (continued)		
Hazard pictograms		
Signal words	: Warning	
Hazard statements	 H228 : Flammable solid. H319 : Causes serious eye irritation. H315 : Causes skin irritation. H317 : May cause an allergic skin reaction. H336 : May cause drowsiness or dizziness. H412 : Harmful to aquatic life with long lasting effects. 	
Supplemental hazard information	: EUH066: Repeated exposure may cause skin dryness or cracking.	
Precautionary statements	:	
• General	 P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. 	
Prevention	 P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves. 	
Response	: P332+P313: If skin irritation occurs : Get medical advice.	
Contains	: HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS - TURPENTINE OIL	
2.3. Other hazards		
Other hazards	: Not established.	

3. Composition/information on ingredients

Substance / Preparatior Hazardous component(paration. s product is h	azardous.			
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
TURPENTINE OIL	:	> 20 < 30 %	8006-64-2	232-350-7	650-002-00-6	01-2119553060-53-0011	R10 Xn; R20/21/22-65 Xi; R36/38 R43 N; R51-53
							Asp. Tox 1 _ H304 Flam. Lig, 3 _ H226 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (inhal) _ H332 Acute Tox. 4 (inhal) _ H332 Eye irrit 2 _ H319 Skin Irrit. 2 _ H315 Skin Sens. 1 _ H317 Aquatic Chronic 2 _ H411
HYDROCARBONS, C9-C11, N- ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS	:	> 50 < 75 %	64742-48-9	919-857-5	649-327-00-6	01-2119463258-33	R10 Xn; R65 R66 R67 Asp. Tox 1_ H304 Flam. Liq, 3_ H226 STOT SE 3_ H336 STOT RE _ EUH066

4. First aid measures

4.1. Description of first aid measures



Page : 3

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

First aid measures (continued)	
Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and kee at rest in a position comfortable for breathing.
Skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. Specific treatment (see on this label). Get medical advice. If skin irritation or rash occurs :
Eye contact	: If eye irritation persists : Get medical advice. Remove contact lenses, if present an easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	 Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Obtain emergency medical attention.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms relating to use	 Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.
4.3. Indication of any immediate me	edical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
General information Fire-fighting measures	
Fire-fighting measures 5.1. Extinguishing media	
Fire-fighting measures	medical advice (show the label where possible).
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media	medical advice (show the label where possible).
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers.
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers.
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Surrounding fires 5.2. Special hazards arising from the	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers.
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Surrounding fires 5.2. Special hazards arising from the Flammable class	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers.
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Surrounding fires 5.2. Special hazards arising from the Flammable class Hazardous combustion products	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers. me substance or mixture Flammable solid. Under fire conditions, hazardous fumes will be present.
Fire-fighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Surrounding fires 5.2. Special hazards arising from the Flammable class Hazardous combustion products Specific hazards	 medical advice (show the label where possible). Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream. Use water spray or fog for cooling exposed containers. me substance or mixture Flammable solid. Under fire conditions, hazardous fumes will be present.

6.1. Personal precautions, protective equipment and emergency procedures



Page:4

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

6. Accidental release measures (continued)		
For emergency responders	: Avoid breathing dust, fume, gas, mist, vapours, spray. Equip cleanup crew with proper protection. Ventilate area.	
Technical measures	: Use special care to avoid static electric charges.	
Special precautions	: Remove ignition sources. No naked lights. No smoking.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for conta	inment and cleaning up	
Clean up methods	: Store away from other materials. On land, sweep or shovel into suitable containers. Minimize generation of dust.	
6.4. Reference to other sections		
See section 8. Exposure controls/perse	onal protection	
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Avoid breathing dust, fume, gas, mist, vapours, spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before	

	should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Handle empty containers with care because residual vapours are flammable.
Technical protective measures	 Use explosion-proof electrical, ventilating, lighting,, equipment. Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray. No naked lights. No smoking.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage	 Keep container tightly closed. Ground/bond container and receiving equipment. Keep only in the original container in a cool, well ventilated place. Keep in fireproof place.
Storage Storage - away from	Ground/bond container and receiving equipment. Keep only in the original
-	Ground/bond container and receiving equipment. Keep only in the original container in a cool, well ventilated place. Keep in fireproof place.



Page : 5

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	
Personal protection	: Avoid all unnecessary exposure.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 Hand protection 	: Wear protective gloves.
Skin protection	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Paste.
Colour Odour Odour threshold pH value	: Characteristic. : No data available. : Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: Not applicable.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable solid.
Flash point [°C]	: Not applicable.
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: Not applicable.
Vapour pressure [20°C]	: No data available.
Vapour density	: No data available.
Density [g/cm3]	:0.77 - 0.80
Relative density, liquid (water=1)	:Not applicable.
Solubility in water	:No data available.



Page : 6

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

Log Pow octanol / water at 20°C	
Viscosity at 40°C [mm2/s]	: No data available. : No data available.
9.2. Other information	
Explosive properties Explosion limits - upper [%] Explosion limits - lower [%] Oxidising properties	 No data available. No data available. No data available. No data available.
0. Stability and reactivity	
10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactio	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition prod	ucts
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.
1. Toxicological information	

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.



Page:7

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

11. Toxicological information (continued)

Irritation	: Causes serious eye irritation. Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Sensitization	: May cause an allergic skin reaction.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Harmful to aquatic life with long lasting effects.
12.2. Persistence - degradability	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
Mobility in soil	Not established.
12.5. Results of PBT and vPvB assess	ment
Results of PBT and vPvB assessment	: The substance/mixture does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	

General	: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Special precautions	: Handle empty containers with care because residual vapours are flammable.



Page:8

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	 SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)
UN N°	: 3175
H.I. nr	: 40
ADR - Class	: 4.1
ADR - Labelling	: 4.1
ADR - Classification code	: F1 : II
ADR - Group ADR - Packing instructions	: P002 R001 IBC006
ADR - Limited Quantity	: 1 KG
ADR - Tunnel code	

14.2. Sea transport (IMDG) [English only]

Proper shipping name

I IN Nº

 SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)
 3175

	. 5175
IMO-IMDG - Class or division	: 4.1
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 1 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-I

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	 SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)
UN N°	: 3175
IATA - Class or division	: 4.1
IATA - Packing group	: 11



Page : 9

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

14. Transport information (continued)

IATA - Passenger and Cargo Aircraft - Passenger and Cargo - Packing instruction	: ALLOWED : 445
- Passenger and Cargo - Maximum Quantity/Packing	: 15 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 448
- Cargo only - Maximum Quantity/ Packing	: 50 kg
IATA - Limited Quantites	: 5 kg
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
Further Phrases	: Contains : TURPENTINE OIL. May produce an allergic reaction.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
6. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	 PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
List of relevant R phrases (heading 3): R10 : Flammable. R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed. R36/38 : Irritating to eyes and skin. R43 : May cause sensitization by skin contact. R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 : Harmful : may cause lung damage if swallowed. R66 : Repeated exposure may cause skin dryness or cracking. R67 : Vapours may cause drowsiness and dizziness.
List of full text of H-statements in section 3	 H226 : Flammable liquid and vapour. H302 : Harmful if swallowed. H304 : May be fatal if swallowed and enters airways. H312 : Harmful in contact with skin. H315 : Causes skin irritation. H317 : May cause an allergic skin reaction. H319 : Causes serious eye irritation. H332 : Harmful if inhaled. H336 : May cause drowsiness or dizziness. H411 : Toxic to aquatic life with long lasting effects.



Page : 10

Revised edition no : 2 Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -0009

16. Other information (continued)		
Sources of key data used	EUH066: Repeated exposure may cause skin dryness or cracking. : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006	
Labelling EC 67/548 or EC 1999/45		
• Symbol(s)	*	
• Symbol(s)	: Xi : Irritant	
• R Phrase(s)	 R10 : Flammable. R36/38 : Irritating to eyes and skin. R43 : May cause sensitization by skin contact. R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R66 : Repeated exposure may cause skin dryness or cracking. R67 : Vapours may cause drowsiness and dizziness. 	
• S Phrase(s)	 S2 : Keep out of the reach of children. S24 : Avoid contact with skin. S37 : Wear suitable gloves. S46 : If swallowed seek medical advice immediately and show this container or label. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets. 	
Further information	: None.	

The contents and format of this SDS are in accordance with REACH Regulation (CE) Nº 1907/2006.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document