SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: SAPHIR MENTHOL 200 ML AVEL. Product code: 0624009.

Company/undertaking identification:

Registered company name: AVEL. Address: 16320 MAGNAC LAVALETTE.France. Telephone: 05.45.64.74.74 Fax: 05.45.64.77.36. avel@avel.com www.avel.com

Emergency telephone: 03 83 32 36 36.

Association/Organisation: Centre Anti Poison de NANCY www.centres-antipoison.net/index.

2 - HAZARDS IDENTIFICATION

This product is classed: Extremely flammable.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

Other data:

This product is for use as a biocide.

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state) This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:

INDEX	CAS	EC	Name	Symb.	R:	%	
603-117-00-0	67-63-0	200-661-7	PROPAN-2-OL	Xi F	11 36 67	2.5 <= x % < 10	
A04707/02	2226-51-5	218-690-9	CAS 2226-51-5	Xi	38	0 <= x % < 2.5	
			2-ISOPROPYL-5-METHYL-CYCLOHE				
			XANOL				

Other substances with occupational exposure limits:

INDEX	CAS	EC	Name	Symb.	R:	%
601-003-00-5	74-98-6	200-827-9	PROPANE	F+	12	10 <= x % < 25
601-004-00-0	106-97-8	203-448-7	BUTANE	F+	12	50 <= x % < 100
601-004-00-0	75-28-5	200-857-2	AND ISOBUTANE	F+	12	10 <= x % < 25

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

In the event of exposure by inhalation:

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

Suitable extinguishing media:

Carbon dioxide, chemical powders, foams, and other extinguishing gases.

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Extinguishing media which must not be used for safety reasons:

Keep packages near the fire cool, to prevent pressurised containers from bursting. Prevent the effluent of fire-fighting measures from entering drains or waterways. Do not use compressed air during filling, emptying or handling.

Special protective equipment for fire-fighters:

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

On account of the organic solvents contained in the preparation, eliminate sources of ignition and ventilate the premises.

Avoid inhaling the vapors.

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Handling:

Handle in well-ventilated areas.

The vapors are denser than air. They can spread along the ground and form explosive mixtures with air

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Fire prevention:

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Packages which have been opened must be reclosed carefully and stored in an upright position

Avoid inhaling vapors.

Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

Do not pierce or burn, even after use.

Storage:

Keep the container tightly closed in a dry, well-ventilated place

Keep away from all sources of ignition - do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Keep out of reach of children

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION



Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

If this ventilation is insufficient to maintain the concentration of solvent vapors below the exposure limits, wear breathing apparatus **Exposure limit values per INRS ED 984:**

France VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP N°: 67-63-0 400 980 84 106-97-8 800 1900 _ _ Germany Class: MAK-ppm: MAK-mg/m3: Notes: Notes: II.1 200 С 67-63-0 500 75-28-5 IV 1000 2400 106-97-8 IV 1000 2400 74-98-6 IV 1000 1800 ACGIH(TLV) TWA-ppm: TWA-mg/m3: STEL-ppm: STEL-mg/m3: Notes: Notes: 67-63-0 (400)(983) (500)(1230)S 106-97-8 800 1900 74-98-6 2500 4509 Exposure limit values (2003-2006):

UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:
67-63-0	400 ppm	500 ppm	-	-	-
106-97-8	600 ppm	750 ppm	-	-	-
UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
67-63-0	400 ppm	500 ppm	-	-	-
106-97-8	600 ppm	750 ppm	-	-	-
Germany/AGW	AGW:	AGW:	Faktor:	Bemerkungen:	
67-63-0	200 ml/m3	500 mg/m3	2(II)	DFG, Y	
75-28-5	1000 ml/m3	2400 mg/m3	4(II)	DFG	
106-97-8	1000 ml/m3	2400 mg/m3	4(II)	DFG	
74-98-6	1000 ml/m3	1800 mg/m3	4(II)	DFG	
ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:
67-63-0	200 ppm	400 ppm	-	-	-
75-28-5	1000 ppm	-	-	-	-
106-97-8	1000 ppm	-	-	-	-
74-98-6	1000 ppm	-	-	-	-

Respiratory protection:

Where workers encounter concentrations higher than the exposure limits, they must wear suitable, approved masks.

Hand protection:

Protective creams may be used for exposed skin, but they should not be applied after contact with the product. In the event of prolonged or repeated contact with the hands, use appropriate gloves.

Eye and face protection:

Use eye protectors designed to protect against liquid splashes

Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state:

Important health, safety and environmental information:

pH of the substance or preparation:

fluid liquid spray

not relevant.

The pH is impossible to measure or its value is not relevant.

Boiling point/boiling range:	not specified.
Flash point interval:	Flash point < 0° C and distillation temperature <= 35° C
Vapour pressure:	not relevant.
Density:	< 1
Water solubility:	Insoluble.
Other information:	
melting point/melting range:	not specified.
Self-ignition temperature:	not specified.
Decomposition point/decomposition range :	not specified.

10 - STABILITY AND REACTIVITY

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Exposure to vapors from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as:

Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage

Other data:

CAS 67-63-0 : IARC Groupe 3 (The agent is not classifiable as to its carcinogenicity to humans).

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2009 - IMDG 2008 - ICAO/IATA 2009).

Classification:



UN1950=AEROSOLS

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	LQ2	190 327 625	E0	2	D
IMDG	Class	2°Label	Pack gr.	LO	EMS	Provis.	EO			

	2.1	SP63	-	SP277	F-D,S-U	63 190 277 327	E0]	
						959]	
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EO
	2.1	-	-	203	75 kg	203	150 kg	A145	EO
								A153	
	2.1	-	-	Y203	30 kg G	-	-	-	E0

15 - REGULATORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations In addition directive 2008/58/EC with the 30° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account. In addition directive 2009/2/EC with the 31° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account. In addition Regulation (EC) No 1272/2008 have been taken into account.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is for use as a biocide.

Preparation classification:



Extremely flammable

Particular hazards ass	ociated with the preparation and safety recommendations:
R 12	Extremely flammable.
S 16	Keep away from sources of ignition - No smoking.
S 2	Keep out of the reach of children.
S 46	If swallowed, seek medical advice immediately and show this container or label.
	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.
	Do not pierce or burn, even after use.
	Do not spray on a naked flame or any incandescent material.
S 23	Do not breathe spray
	Do not use the product in another way of what it is intended to. Use and store only in a well-ventilated area. Do not spray for a long time.

Particular provisions:

NFPA 704 Label: Health=0 Flammability=4 Instability=1 Special Hazards=none



16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 3:

R 11	Highly flammable.
------	-------------------

R 12	Extremely flammable.
------	----------------------

- R 36 Irritating to eyes.
- R 38 Irritating to skin.

R 67 Vapours may cause drowsiness and dizziness.

Biocide labelling (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/CE):

Name	CAS	%	TP
PROPAN-2-OL	67-63-0	56.52 g/kg	02